



**Safety data sheet**  
**According to Regulation 1907/2006/EC, Article 31 and**  
**Regulation 1272/2008/EC**

Printing date 28.06.2017

Version number 1

Revision: 28.06.2017

**SECTION 1: Identification of the substance / mixture and of the company / undertaking**

- **1.1 Product identifier**
- **Trade name: F.I.B. STOP THE FIRE**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the preparation:** For firefighting of small fires in household conditions.
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer / Supplier:**  
"F.I.B. - FIREOUT INNOVATIVE BULGARIA" LTD.  
24E, Panoramen pat Str.  
1616 Sofia  
Bulgaria
- **Further information obtainable from:** tel.: +359 886 777777 / +359 999 993333
- **e-mail address of competent person responsible for the SDS:**  
fib@abv.bg  
sveti.nikola@abv.bg
- **1.4 Emergency telephone number**  
+359 2 9154 409 Bulgarian National Toxicological Information Centre  
112

**SECTION 2: Hazards identification**

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008:**



GHS07

Eye Irrit. 2 H319 Causes serious eye irritation.

Aerosol 3 H229 Pressurised container: May burst if heated.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008:**  
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms:**



GHS07

- **Signal word:** Warning
- **Hazard statements:**  
H229 Pressurised container: May burst if heated.  
H319 Causes serious eye irritation.
- **Precautionary statements:**  
P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.

(Contd. on page 2)

**Safety data sheet**  
**According to Regulation 1907/2006/EC, Article 31 and**  
**Regulation 1272/2008/EC**

Printing date 28.06.2017

Version number 1

Revision: 28.06.2017

**Trade name: F.I.B. STOP THE FIRE**

(Contd. of page 1)

- P103 Read label before use.  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P251 Do not pierce or burn, even after use.  
P280 Wear eye protection / face protection.  
P305+P351+P338 **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337+P313 If eye irritation persists: Get medical advice/attention.  
P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

**· Regulation (EC) No 648/2004 on detergents / Labelling for contents**

anionic surfactants, amphoteric surfactants	<5%
---	-----

**· 2.3 Other hazards****· Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

**SECTION 3: Composition / information on ingredients****· 3.2 Mixtures**

- **Description:** Mixture of substances listed below with nonhazardous additions.

**· Dangerous components**

CAS: 1066-33-7 EINECS: 213-911-5	ammonium hydrogencarbonate ⚠ Acute Tox. 4, H302	2.5-<10%
CAS: 7727-37-9 EINECS: 231-783-9	nitrogen ⚠ Press. Gas R, H281	0.1-≤2.5%
CAS: 68891-38-3 NLP: 500-234-8	Alcohols, C12-14, ethoxylated, sulfates, sodium salts ⚠ Eye Dam. 1, H318; ⚠ Skin Irrit. 2, H315; Aquatic Chronic 3, H412	0.1-<2.5%
CAS: 63641-59-8 EINECS: 264-378-0	Betaines, (C12-18-amidoalkyl)dimethyl ⚠ Flam. Liq. 3, H226; ⚠ Aquatic Chronic 2, H411; ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319	0.25-<2.5%
EC number: 931-292-6	Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides ⚠ Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 2, H411; ⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315	0.25-<2.5%

**· Non-dangerous components**

CAS: 298-14-6 EINECS: 206-059-0	potassium hydrogencarbonate	2.5-<10%
CAS: 68155-07-7 EINECS: 268-935-9	Amides, C8-18 and C18-unsatd., N,N-bis(hydroxyethyl) ⚠ Eye Dam. 1, H318; ⚠ Aquatic Chronic 2, H411; ⚠ Skin Irrit. 2, H315	0.25-<2.5%
CAS: 144-55-8 EINECS: 205-633-8	sodium hydrogencarbonate	0.1-≤2.5%
CAS: 7732-18-5 EINECS: 231-791-2	water, distilled, conductivity or of similar purity	25-50%

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

EU

(Contd. on page 3)

**Safety data sheet**  
**According to Regulation 1907/2006/EC, Article 31 and**  
**Regulation 1272/2008/EC**

Printing date 28.06.2017

Version number 1

Revision: 28.06.2017

Trade name: **F.I.B. STOP THE FIRE**

(Contd. of page 2)

### **SECTION 4: First aid measures**

- **4.1 Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:**  
Take affected persons into fresh air and keep quiet.  
Use a respiratory bag or breathing device.
- **After skin contact:**  
Immediately wash with water and soap and rinse thoroughly.  
If skin irritation continues, consult a doctor.
- **After eye contact:**  
Remove any contact lenses.  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**  
Do not give anything by mouth to an unconscious person.  
Rinse out mouth and then drink plenty of water.  
If symptoms persist consult doctor.  
Contact physician if larger quantity has been consumed.
- **4.2 Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** Treat symptomatically.

### **SECTION 5: Firefighting measures**

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** The product does not burn and does not support combustion.
- **5.2 Special hazards arising from the substance or mixture** It may explode when heated.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.

### **SECTION 6: Accidental release measures**

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.  
Remove persons from danger area.  
Keep people at a distance and stay on the windward side.
- **6.2 Environmental precautions**  
Do not allow to enter sewers/ surface or ground water.  
Inform respective authorities in case of seepage into water course or sewage system.
- **6.3 Methods and material for containment and cleaning up**  
Dilute with plenty water.  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Send for recovery or disposal in suitable receptacles.  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

EU

(Contd. on page 4)

**Safety data sheet**  
**According to Regulation 1907/2006/EC, Article 31 and**  
**Regulation 1272/2008/EC**

Printing date 28.06.2017

Version number 1

Revision: 28.06.2017

Trade name: **F.I.B. STOP THE FIRE**

(Contd. of page 3)

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about fire and explosion protection:** Keep ignition sources away - Do not smoke.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**  
Observe official regulations on storing packagings with pressurised containers.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.
- **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls / personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
The usual precautionary measures are to be adhered to when handling chemicals.  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Do not eat or drink while working.  
Avoid contact with the eyes.  
Avoid contact with the eyes and skin.
- **Respiratory protection:** Not required.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the mixture.  
 Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves:**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.  
Nitrile rubber, NBR  
Recommended thickness of the material:  $\geq 0.4$  mm
- **Penetration time of glove material:**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

**Safety data sheet**  
**According to Regulation 1907/2006/EC, Article 31 and**  
**Regulation 1272/2008/EC**

Printing date 28.06.2017

Version number 1

Revision: 28.06.2017

Trade name: **F.I.B. STOP THE FIRE**

(Contd. of page 4)

· Eye / face protection:



Tightly sealed goggles

### SECTION 9: Physical and chemical properties

## · 9.1 Information on basic physical and chemical properties

## · General Information

## · Appearance:

Form:	Aerosol
Colour:	Semitransparent
Odour:	Odourless
Odour threshold:	Not determined.

· pH-value at 20 °C: 8.7 - 9.2

## · Change in condition

Melting point / Melting range:	-15 °C
Boiling point / Boiling range:	Not applicable, as aerosol.

· Flash point: Not applicable, as aerosol.

· Flammability (solid, gas): Not applicable.

## · Ignition temperature:

Decomposition temperature:	Not determined.
----------------------------	-----------------

· Auto-ignition temperature: Product is not selfigniting.

· Explosive properties: Not determined.

## · Explosion limits:

Lower:	Not determined.
Upper:	Not determined.

· Vapour pressure: Not determined.

· Density: Not determined.

· Relative density: Not determined.

· Vapour density: Not determined.

· Evaporation rate: Not applicable.

## · Solubility in / Miscibility with

Water:	Fully miscible.
--------	-----------------

· Partition coefficient: n-octanol/water: Not determined.

## · Viscosity

dynamic:	Not determined.
kinematic:	Not determined.

## · Solvent content:

Organic solvents:	0.0 %
VOC (EC):	0.00 %

(Contd. on page 6)

**Safety data sheet**  
**According to Regulation 1907/2006/EC, Article 31 and**  
**Regulation 1272/2008/EC**

Printing date 28.06.2017

Version number 1

Revision: 28.06.2017

Trade name: **F.I.B. STOP THE FIRE**

(Contd. of page 5)

· **9.2 Other information:** No further relevant information available.

### **SECTION 10: Stability and reactivity**

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** High temperature.
- **10.5 Incompatible materials** No further relevant information available.
- **10.6 Hazardous decomposition products** No dangerous decomposition products known.

### **SECTION 11: Toxicological information**

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **Primary irritant effect**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation**  
Causes serious eye irritation.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction):**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

### **SECTION 12: Ecological information**

- **12.1 Toxicity**
- **Aquatic toxicity** No further relevant information available.
- **12.2 Persistence and degradability** Biodegradable.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water  
Do not allow product to reach ground water, water course or sewage system.  
Danger to drinking water if even small quantities leak into the ground.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

EU

(Contd. on page 7)

**Safety data sheet**  
**According to Regulation 1907/2006/EC, Article 31 and**  
**Regulation 1272/2008/EC**

Printing date 28.06.2017

Version number 1

Revision: 28.06.2017

Trade name: **F.I.B. STOP THE FIRE**

(Contd. of page 6)

### SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation:**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packaging:**

· **Recommendation:** Disposal must be made according to official regulations.

· **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

### SECTION 14: Transport information

· **14.1 UN Number**

· **ADR, IMDG, IATA**

UN1950

· **14.2 UN proper shipping name**

· **ADR**

1950 AEROSOLS

· **IMDG**

AEROSOLS

· **IATA**

AEROSOLS, non-flammable

· **14.3 Transport hazard class(es)**

· **ADR**



· **Class**

2 5A Gases.

· **Label**

2.2

· **IMDG, IATA**



· **Class**

2.2

· **Label**

2.2

· **14.4 Packing group**

· **ADR, IMDG, IATA**

Void

· **14.5 Environmental hazards**

Not applicable.

· **14.6 Special precautions for user**

Warning: Gases.

· **Danger code (Kemler):**

-

· **EMS Number:**

F-D,S-U

· **Stowage Code**

SW1 Protected from sources of heat.

SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters.

· **Segregation Code**

SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate

(Contd. on page 8)

**Safety data sheet**  
**According to Regulation 1907/2006/EC, Article 31 and**  
**Regulation 1272/2008/EC**

Printing date 28.06.2017

Version number 1

Revision: 28.06.2017

Trade name: **F.I.B. STOP THE FIRE**

(Contd. of page 7)

	subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.
· <b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b>	Not applicable.
· <b>Transport / Additional information</b>	
· <b>ADR</b>	
· <b>Limited quantities (LQ):</b>	1L
· <b>Excepted quantities (EQ)</b>	Code: E0 Not permitted as Excepted Quantity
· <b>Transport category:</b>	3
· <b>Tunnel restriction code:</b>	E
· <b>IMDG</b>	
· <b>Limited quantities (LQ)</b>	1L
· <b>Excepted quantities (EQ)</b>	Code: E0 Not permitted as Excepted Quantity
· <b>UN "Model Regulation":</b>	UN 1950 AEROSOLS, 2.2

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations / legislation specific for the substance or mixture**  
 Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC  
 Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006  
 Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3, 65
- **National regulations:**
- **Other regulations, limitations and prohibitive regulations:**  
 National laws and regulations of the relevant Member State which implement the following Community provisions shall be mentioned:  
 COUNCIL DIRECTIVE 75/324/EEC of 20 May 1975 on the approximation of the laws of the Member States relating to aerosol dispensers
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases:**  
 H226 Flammable liquid and vapour.

(Contd. on page 9)



**Safety data sheet**  
**According to Regulation 1907/2006/EC, Article 31 and**  
**Regulation 1272/2008/EC**

Printing date 28.06.2017

Version number 1

Revision: 28.06.2017

**Trade name: F.I.B. STOP THE FIRE**

(Contd. of page 8)

*H281 Contains refrigerated gas; may cause cryogenic burns or injury.*

*H302 Harmful if swallowed.*

*H315 Causes skin irritation.*

*H318 Causes serious eye damage.*

*H319 Causes serious eye irritation.*

*H400 Very toxic to aquatic life.*

*H411 Toxic to aquatic life with long lasting effects.*

*H412 Harmful to aquatic life with long lasting effects.*

**Abbreviations and acronyms:**

*ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)*

*IMDG: International Maritime Code for Dangerous Goods*

*IATA: International Air Transport Association*

*GHS: Globally Harmonised System of Classification and Labelling of Chemicals*

*EINECS: European Inventory of Existing Commercial Chemical Substances*

*ELINCS: European List of Notified Chemical Substances*

*CAS: Chemical Abstracts Service (division of the American Chemical Society)*

*VOC: Volatile Organic Compounds (USA, EU)*

*PBT: Persistent, Bioaccumulative and Toxic*

*vPvB: very Persistent and very Bioaccumulative*

*Aerosol 3: Aerosols – Category 3*

*Press. Gas R: Gases under pressure – Refrigerated liquefied gas*

*Flam. Liq. 3: Flammable liquids – Category 3*

*Acute Tox. 4: Acute toxicity – Category 4*

*Skin Irrit. 2: Skin corrosion/irritation – Category 2*

*Eye Dam. 1: Serious eye damage/eye irritation – Category 1*

*Eye Irrit. 2: Serious eye damage/eye irritation – Category 2*

*Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1*

*Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2*

*Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3*